

1. PRODUCT AND COMPANY IDENTIFICATION

Product Code: DF800XL
Product Name: Dyna Foam 800 XL
Company Name: Shepard Bros., Inc.
503 S. Cypress St.
La Habra, CA 90631
Phone Number: +1 (562)697-1366
Web site address: www.shepardbros.com
Emergency Contact: CHEMTREC +1 (800)424-9300
Product Category: Foaming Alkaline Cleaner

2. HAZARDS IDENTIFICATION

Acute Toxicity: Inhalation, Category 4

Acute Toxicity: Oral, Category 4

Skin Corrosion/Irritation, Category 1A

Serious Eye Damage/Eye Irritation, Category 2A



GHS Signal Word: **Danger**

GHS Hazard Phrases:

H332 - Harmful if inhaled.
H302 - Harmful if swallowed.
H314 - Causes severe skin burns and eye damage.
H319 - Causes serious eye irritation.

GHS Precaution Phrases:

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.
P264 - Wash hands thoroughly after handling.
P270 - Do not eat, drink or smoke when using this product.
P260 - Do not breathe dust/fume/gas/mist/vapors/spray.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.


GHS Response Phrases:

P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P303+361+353 - IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. P363 - Wash contaminated clothing before reuse.
P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+313 - If eye irritation persists, get medical advice/attention.
P301+330+331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P310 - Immediately call a POISON CENTER or doctor/physician.
P321 - Specific treatment see Section 4 reference to supplemental first aid instruction - if immediate measures are required.

GHS Storage and Disposal Phrases:

P501 - Dispose of contents/containers in accordance with local/regional/national/international regulations.

Hazard Rating System:



Potential Health Effects (Acute and Chronic):

Chronic: Effects may be delayed.

Inhalation:

May be harmful if inhaled. May cause respiratory tract burns. Can produce delayed pulmonary edema.

Skin Contact:

Causes severe skin irritation. Can cause severe injury (reddening and swelling). May cause deep, penetrating ulcers of the skin. Can cause chemical burn.

Eye Contact:

Causes redness and pain. Causes severe eye burns. Causes serious eye damage. May cause irreversible eye injury. Contact may cause ulceration of the conjunctiva and cornea. Eye damage may be delayed.

Ingestion:

Can burn mouth, throat and stomach. Causes severe digestive tract burns with abdominal pain and vomiting. May cause perforation of the digestive tract. May cause severe and permanent damage to the digestive tract. May cause systemic effects.

3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS #	Hazardous Components (Chemical Name)	Concentration
1310-58-3	Potassium hydroxide	<15.0 %
1310-73-2	Sodium hydroxide	<10.0 %
111-76-2	Ethylene glycol monobutyl ether	<5.00 %

4. FIRST AID MEASURES

Emergency and First Aid

Procedures:

In Case of Inhalation:

Remove from exposure and move to fresh air immediately. If breathing is difficult, give oxygen. If breathing has ceased apply artificial respiration using oxygen and a suitable mechanical device such as a bag and a mask. Get medical attention immediately.

In Case of Skin Contact:

Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Gently wash with plenty of soap and water. Wash contaminated clothing separately before reuse. Get medical advice/attention.

In Case of Eye Contact:

Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Remove contact lenses, if present and easy to do after 5 minutes and continue rinsing for an additional 15 minutes. Get immediate medical advice/attention.

In Case of Ingestion:

Do NOT induce vomiting. If victim is conscious and alert, give 2-4 cupfuls of milk or water. Never give anything by mouth to an unconscious person. Get medical aid immediately.

Note to Physician:

Treat symptomatically and supportively. Show this safety data sheet to the doctor in attendance.

5. FIRE FIGHTING MEASURES

Flash Pt:	> 212 F (100 C) Method Used: Pensky-Marten Closed Cup
Explosive Limits:	LEL: No data. UEL: No data.
Autoignition Pt:	NA
Suitable Extinguishing Media:	Use water spray, dry chemical, carbon dioxide, or appropriate foam.
Fire Fighting Instructions:	As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH approved (or equivalent), and full protective gear. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Contact of this product with many "active" metals such as aluminum, copper and zinc, can cause formation of flammable hydrogen gas. Use water with caution and in flooding amounts. Contact with moisture or water may generate sufficient heat to ignite nearby combustible materials. Containers can build up pressure if exposed to heat (fire). Use water spray to keep fire-exposed containers cool.
Flammable Properties and Hazards:	Contact of this product with many "active" metals such as aluminum, copper and zinc, can cause formation of flammable hydrogen gas. Use water with caution and in flooding amounts. Contact with moisture or water may generate sufficient heat to ignite nearby combustible materials.

6. ACCIDENTAL RELEASE MEASURES

Protective Precautions, Protective Equipment and Emergency Procedures:	Use proper personal protective equipment as indicated in Section 8.
Environmental Precautions:	Do not let product enter drains, sewers, watersheds or water systems.
Steps To Be Taken In Case Material Is Released Or Spilled:	Use proper personal protective equipment as indicated in Section 8. Isolate hazard area. Keep unnecessary and unprotected personnel from entering. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Contain spill using an inert diking material. Transfer material into an approved container for possible recovery and reuse or for disposal. Neutralize residual product with a weak acid, such as acetic acid.

7. HANDLING AND STORAGE

Precautions To Be Taken in Handling:	Avoid contact with eyes, skin, and clothing. Avoid ingestion and inhalation. Wash thoroughly after handling. Remove contaminated clothing and wash before reuse. Keep away from heat, sparks and flame. Keep away from oxidizing agents.
Precautions To Be Taken in Storing:	Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from sources of ignition. Keep away from oxidizing agents. Protect containers against damage. Keep container closed when not in use.
Other Precautions:	Handle in accordance with good industrial hygiene and safety practices. Keep out of reach of children.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
1310-58-3	Potassium hydroxide	No data.	TLV: 2mg/m3 CEIL: 2 mg/m3	No data.
1310-73-2	Sodium hydroxide	PEL: 2 mg/m3	CEIL: 2 mg/m3	No data.
111-76-2	Ethylene glycol monobutyl ether	PEL: 50 ppm	TLV: 20 ppm	No data.



SAFETY DATA SHEET

Dyna Foam 800 XL

Page: 4 of 7

Printed: 02/04/2020

Revision: 02/04/2020

Supersedes Revision: 02/04/2020

Respiratory Equipment (Specify Type):	Avoid breathing vapors and mists. Use a NIOSH/MSHA approved respirator, with a full-facepiece or a full-facepiece respirator with organic vapor cartridges when concentrations are unknown.
Eye Protection:	Wear chemical splash goggles and a full-face shield where there is potential for eye contact.
Protective Gloves:	Wear appropriate protective gloves to prevent skin exposure. Rubber or neoprene gloves.
Other Protective Clothing:	Wear appropriate protective clothing to prevent skin exposure. Chemical resistant boots. Chemical resistant apron.
Engineering Controls (Ventilation etc.):	Use adequate general or local exhaust ventilation to minimize exposure levels. Provide adequate ventilation where the air contacts open process equipment. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.
Work/Hygienic/Maintenance Practices:	Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical States:	[] Gas [X] Liquid [] Solid
Appearance and Odor:	Appearance: Brownish. Liquid. Odor: Mild.
Melting Point:	NA
Boiling Point:	220 F (104 C)
Autoignition Pt:	NA
Flash Pt:	> 212 F (100 C) Method Used: Pensky-Marten Closed Cup
Explosive Limits:	LEL: No data. UEL: No data.
Specific Gravity (Water = 1):	1.28
Density:	NA
Vapor Pressure (vs. Air or mm Hg):	NA
Vapor Density (vs. Air = 1):	NA
Evaporation Rate:	NA
Solubility in Water:	Complete
Saturated Vapor Concentration:	NA
Viscosity:	NA
pH:	> 12.0
Percent Volatile:	NA
Molecular Formula & Weight:	PROPRIETARY 0.0

10. STABILITY AND REACTIVITY

Reactivity:	Contact of this product with many "active" metals such as aluminum, copper and zinc, can cause formation of flammable hydrogen gas.
Stability:	Unstable [] Stable [X]
Conditions To Avoid - Instability:	High temperatures, Incompatible materials, Excess heat.
Incompatibility - Materials To Avoid:	Strong acids, Contact of this product with many "active" metals such as aluminum, copper and zinc, can cause formation of flammable hydrogen gas.
Hazardous Decomposition Or Byproducts:	High temperatures and flames may produce: Carbon monoxide, Carbon dioxide, Oxides of potassium, sodium oxide.
Possibility of Hazardous Reactions:	Will occur [] Will not occur [X]



Conditions To Avoid - No data available.
Hazardous Reactions:

11. TOXICOLOGICAL INFORMATION

Toxicological Information: Epidemiology: No information available.
Teratogenicity: No information available.
Reproductive Effects: No data available.
Mutagenicity: No information available.
Neurotoxicity: No data available.
Other Studies: CAS# 111-76-2:
Acute toxicity, LC50, Inhalation, Rat, 450.0 ppm, 4 H.
Acute toxicity, LD50, Oral, Rat, 470.0 mg/kg
Acute toxicity, LD50, Skin, Rabbit, 220.0 mg/kg.

Other Studies: CAS# 1310-58-3:
Acute toxicity, LD50, Oral, Rat, 273 mg/kg

Other Studies: CAS# 1310-73-2
Acute toxicity, LDLO, Oral, Species: Rabbit, 500.0 mg/kg.

Irritation or Corrosion: Other Studies: CAS# 111-76-2:
Standard Draize Test, Eyes, Species: Rabbit, 100.0 mg, 24 H.

Other Studies: CAS# 1310-58-3:
Standard Draize Test, Skin, Species: Rabbit, 50.0 mg, 24H

Other Studies: CAS# 1310-73-2
Standard Draize Test, Eyes, Species:Rabbit, 400.0 ug.

Carcinogenicity: NTP? No IARC Monographs? No OSHA Regulated? No

12. ECOLOGICAL INFORMATION

General Ecological Information: Environmental: No information found.
Physical: No information found.

Results of PBT and vPvB assessment: Other Studies: CAS# 1310-58-3:
LC50, Western Mosquitofish (Gambusia affinis), adult(s), 80000 ug/L, 96H, Mortality

Other Studies: CAS# 1310-73-2:
LC50, Common Shrimp, Sand Shrimp (Crangon crangon), adult(s), 33000 - 100000 ug/L, 48H, Mortality
LC50, Western Mosquitofish (Gambusia affinis), adult(s), 125000 ug/L, 96H, Mortality
LC50, Cockle (Cerastoderma edule), adult(s) 330000 - 1000000 ug/L, 48H, Mortality
LC50, Guppy (Poecilia reticulata)}, young organism(s), 196.0 mg/L, 96H, Mortality.

Other Studies: CAS# 111-76-2:
LC50, Water Flea (Daphnia magna), 1720 mg/l, 24 H, Intoxication
LC50, Common Shrimp, Sand Shrimp (Crangon crangon), 775000 ug/l, 96 H, Mortality
LC50, Amphipod (Chaetogammarus marinus), young organism(s), 1000 mg/l, 24 H, Mortality
LC50, Carp (Leuciscus idus ssp. melanotus), 1575 mg/l, 48 H, Mortality
Effective concentration to 0% of test organisms, Blue-Green Algae (Microcystis aeruginosa), 156000 ug/L, Population

SAFETY DATA SHEET

Dyna Foam 800 XL

Page: 6 of 7

Printed: 02/04/2020

Revision: 02/04/2020

Supersedes Revision: 02/04/2020



Persistence and Degradability: No data available.
Bioaccumulative Potential: No data available.
Mobility in Soil: No data available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method: Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification. Observe all federal, state, and local environmental regulations.
RCRA P-Series: None listed.
RCRA U-Series: None listed.

14. TRANSPORT INFORMATION

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: CAUSTIC ALKALI LIQUIDS, N.O.S. (POTASSIUM HYDROXIDE, SODIUM HYDROXIDE)
DOT Hazard Class: 8 CORROSIVE
UN/NA Number: UN1719 **Packing Group:** II



15. REGULATORY INFORMATION

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
1310-58-3	Potassium hydroxide	No	Yes 1000 LB	No
1310-73-2	Sodium hydroxide	No	Yes 1000 LB	No
111-76-2	Ethylene glycol monobutyl ether	No	No	Yes-Cat. N230

CAS # Hazardous Components (Chemical Name)

Other US EPA or State Lists

1310-58-3	Potassium hydroxide	TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: Title 8
1310-73-2	Sodium hydroxide	TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: TAC, Title 8
111-76-2	Ethylene glycol monobutyl ether	TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: TAC, Title 8

16. OTHER INFORMATION

Revision Date: 02/04/2020
Additional Information About This Product: No data available.

Company Policy or Disclaimer: Information presented herein is believed to be accurate and reliable to the best of our knowledge. However, we make no warranty or merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting



SAFETY DATA SHEET

Dyna Foam 800 XL

Page: 7 of 7

Printed: 02/04/2020

Revision: 02/04/2020

Supersedes Revision: 02/04/2020

from its use. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process. Users should make their own investigations to determine the suitability of the information for their particular purposes.