

Technical Dossier

Table of Contents

- -Technical Bulletin
- -SDS
- -Label
- -Letter of Guarantee
- -Titration Procedure



SHEPARD BROS. INC.

HYDRO CLEAN 750

Liquid C.I.P. Cleaner

PRODUCT DESCRIPTION

HYDRO CLEAN 750 is a liquid, alkaline C.I.P. detergent formulated for circulation, soak, and spray cleaning of dairy and food processing equipment.

BENEFITS

- A blended, low-foaming formulation.
- Built-in water conditioner with heavy duty chelates to prevent scale formation.
- Product formulation provides long lasting stability during extended high temperature cleaning.
- Liquid formulation feeds easily providing uniform solutions no mixing or dissolving required.
- A versatile one-product, multi-job cleaner.
- Works in all water conditions.
- Leaves stainless steel surfaces bright and shiny.

USE DIRECTIONS

Recommended: Cycle Hot Water Temperature Range: 120F to 155F.

HYDRO CLEAN 750 is commonly used in concentrations of 1.0 to 8.0 fluid oz. to one gallon of water

Consult your Shepard Bros., Inc. representative for specific use instructions and recommended dispensing equipment.

PROPERTIES AND SAFE HANDLING

A Safety Data Sheet containing detailed information on the properties and safe handling of **HYDRO CLEAN 750** is available on request and should be carefully reviewed prior to using this product.

(Rev. 11/16)

The technical information and use suggestions herein are presented in good faith and are believed to be reliable. They do not constitute a part of our terms and conditions of sale unless specifically incorporated in our Order Acknowledgement. Nothing herein shall be deemed to constitute a warranty, expressed or implied, that said information or data are correct, or that the product described is merchantable or fit for a particular purpose, or that said information, data or product can be used without infringing patents of a third party. The purchaser must determine individually, by preliminary tests or otherwise, the suitability of this product for the intended purpose.



Printed: 06/10/2020 Revision: 06/10/2020

Supersedes Revision: 02/14/2015

Page: 1 of 6

1. PRODUCT AND COMPANY IDENTIFICATION

Product Code: HC700

Product Name: Hydro Clean 750

Company Name: Shepard Bros. Inc. Phone Number:

503 S. Cypress St. +1 (562)697-1366

La Habra, CA 90631

Web site address: www.shepardbros.com

Emergency Contact: CHEMTREC +1 (800)424-9300

Product Category:

2. HAZARDS IDENTIFICATION

Skin Corrosion/Irritation, Category 1A



GHS Signal Word: Danger

GHS Hazard Phrases: H314 - Causes severe skin burns and eye damage.GHS Precautionary Phrases: P260 - Do not breathe dust/fume/gas/mist/vapors/spray.

P264 - Wash hands thoroughly after handling.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

GHS Response Phrases: P301+330+331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+361+353 - IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. P363 - Wash contaminated clothing before

reuse.

P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a

POISON CENTER or doctor/physician.

P321 - Specific treatment see Section 4 reference to supplemental first aid instruction - if

immediate measures are required.

GHS Storage and Disposal

Phrases:

P501 - Dispose of contents and containers in accordance with local, regional, national,

and international regulations.

Other Hazards:

Toxic to aquatic life.

Potential Health Effects

(Acute and Chronic):

Chronic: Effects may be delayed. No information found.

Inhalation: Harmful if inhaled. Causes severe irritation of upper respiratory tract with coughing,

burns, breathing difficulty, and possible coma. Irritation may lead to chemical

pneumonitis and pulmonary edema. Causes chemical burns to the respiratory tract.

Skin Contact: Causes severe skin irritation. Can cause severe injury (reddening and swelling). May

cause deep, penetrating ulcers of the skin. Can cause chemical burn. Repeated skin

exposure may cause tissue destruction.

Eye Contact: Causes redness and pain. Causes severe eye burns. Causes serious eye damage. May

cause irreversible eye injury. Contact may cause ulceration of the conjunctiva and

cornea. Eye damage may be delayed.

Ingestion: Can burn mouth, throat and stomach. Causes gastrointestinal tract burns. May cause

severe and permanent damage to the digestive tract. May cause perforation of the

digestive tract. May cause systemic effects.



Page: 2 of 6 Printed: 06/10/2020 Revision: 06/10/2020

Supersedes Revision: 02/14/2015

3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS # Hazardous Components (Chemical Name) Concentration

1310-58-3 Potassium hydroxide <16.0% 7681-52-9 Sodium hypochlorite <2.5%

4. FIRST AID MEASURES

Emergency and First Aid

Procedures:

In Case of Inhalation: Remove from exposure and move to fresh air immediately. If breathing is difficult, give

oxygen. If breathing has ceased apply artificial respiration using oxygen and a suitable

mechanical device such as a bag and a mask. Get medical attention immediately.

In Case of Skin Contact: Flush skin with plenty of water for at least 15 minutes while removing contaminated

clothing and shoes. Gently wash with plenty of soap and water. Wash contaminated

clothing separately before reuse. Get medical advice/attention.

In Case of Eye Contact: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and

lower eyelids. Remove contact lenses, if present and easy to do after 5 minutes and continue rinsing for an additional 15 minutes. Get immediate medical advice/attention.

In Case of Ingestion: Do NOT induce vomiting. If victim is conscious and alert, give 2-4 cupfuls of milk or

water. Never give anything by mouth to an unconscious person. Get medical aid

immediately.

Note to Physician:Treat symptomatically and supportively. Show this safety data sheet to the doctor in

attendance.

5. FIRE FIGHTING MEASURES

Flash Pt: NA

Explosive Limits: LEL: No data. UEL: No data.

Autoignition Pt: No data.

Suitable Extinguishing Media: Use foam, carbon dioxide, or water spray when fighting fires involving this material.

Unsuitable Extinguishing

Media:

Do not use dry chemical extinguisher containing ammonium compounds.

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand,

MSHA/NIOSH approved (or equivalent), and full protective gear. Use water spray to keep fire-exposed containers cool. Use a NIOSH/MSHA approved respirator, with a full-facepiece or a full-facepiece respirator with chlorine cartridges when concentrations

are unknown.

Flammable Properties and

Hazards:

Contact of this product with many "active" metals such as aluminum, copper and zinc, can cause formation of flammable hydrogen gas. High temperatures and fire conditions can result in the formation of carbon monoxide and carbon dioxide, and oxides of:

chlorine, hydrogen chloride, potassium.

Hazardous Combustion

Products:

Contact of this product with many "active" metals such as aluminum, copper and zinc, can cause formation of flammable hydrogen gas. High temperatures and fire conditions can result in the formation of carbon monoxide and carbon dioxide, and oxides of:

chlorine, hydrogen chloride, potassium.



SAFETY DATA SHEET

Hydro Clean 750

Printed: 06/10/2020 Revision: 06/10/2020

Page: 3 of 6

Supersedes Revision: 02/14/2015

6. ACCIDENTAL RELEASE MEASURES

Protective Precautions. Protective Equipment and Emergency Procedures:

Use proper personal protective equipment as indicated in Section 8.

Environmental Precautions: Steps To Be Taken In Case

Material Is Released Or Spilled:

Do not let product enter drains, sewers, watersheds or water systems. Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks: Provide ventilation. Isolate hazard area. Keep unnecessary and unprotected personnel from entering. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Contain spill using an inert diking material. Transfer material into an approved container for possible recovery and reuse or for disposal. Do not contaminate spill material with any organic materials, ammonia, ammonium salts or urea. Do not let this chemical enter the environment.

7. HANDLING AND STORAGE

Precautions To Be Taken in Handling:

Read label before use. Use with adequate ventilation. Handle in accordance with good industrial hygiene and safety practices. Wash thoroughly after handling. Do not get in eyes, on skin, or on clothing. Discard contaminated shoes. Keep away from heat, sparks and flame.

Precautions To Be Taken in

Storing:

Store in a cool, dry, well-ventilated area away from incompatible substances. Keep container closed when not in use. Store in a tightly closed container. Protect containers against damage. Store away from heat. Store away from sparks, flames. Protect from

sunlight.

Other Precautions: Handle in accordance with good industrial hygiene and safety practices. Keep out of

reach of children.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CAS#	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
1310-58-3	Potassium hydroxide	PEL: 2 mg/m3	CEIL: 2 mg/m3	No data.
7681-52-9	Sodium hypochlorite	PEL: 0.5 ppm as Cl2 STEL: 1 ppm as Cl2	TLV: 0.5 ppm as Cl2 STEL: 1 ppm as Cl2	No data.

CAS# **Chemical Name** Jurisdiction **Recommended Exposure Limits Notations**

1310-58-3 Potassium hydroxide NIOSH TWA: 1 mg/m3 CEIL: 2 mg/m3

Respiratory Equipment (Specify Type):

Avoid breathing vapors and mists. If ventilation is not sufficient to effectively prevent buildup of vapors or mists and the exposure limit is exceeded, use a NIOSH/MSHA

approved respirator.

Eye Protection: Wear chemical splash goggles and a full-face shield where there is potential for eye

contact.

Protective Gloves: Wear appropriate protective gloves to prevent skin exposure. Rubber or neoprene

Other Protective Clothing: Wear appropriate protective clothing to prevent skin exposure. Chemical resistant apron.

Rubber or neoprene boots.

Engineering Controls (Ventilation etc.):

Use adequate mechanical or local exhaust ventilation to minimize exposure levels, particularly in areas where the air contacts open process equipment. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.



Page: 4 of 6 Printed: 06/10/2020

Revision: 06/10/2020 Supersedes Revision: 02/14/2015

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical States: [] Gas [X] Liquid [] Solid Appearance and Odor: Appearance: Pale. yellow. Liquid.

Odor: pungent odor. chlorine-like.

pH: NA

Melting Point: < 32.00 F **Boiling Point:** > 212.00 F

Flash Pt: NA Evaporation Rate: NA

Flammability (solid, gas): No data available.

Explosive Limits: LEL: No data. UEL: No data.

NA

Vapor Pressure (vs. Air or

mm Hg):

Vapor Density (vs. Air = 1): NA
Specific Gravity (Water = 1): 1.313
Density: NA
Bulk density: NA

Solubility in Water: Complete

Saturated Vapor NA

Concentration:

Corrosion Rate:

Octanol/Water Partition

No data.

Coefficient:

Percent Volatile: NA
VOC / Volume: NA
HAP / Volume: NA
Autoignition Pt: No data.
Decomposition Temperature: NA
Viscosity: NA
Particle Size: NA
Heat Value: NA

Molecular Formula & Weight: PROPRIETARY 0.0

10. STABILITY AND REACTIVITY

Reactivity: Contact of this product with many "active" metals such as aluminum, copper and zinc,

can cause formation of flammable hydrogen gas.

Stability: Unstable [] Stable [X]

Conditions To Avoid - Incompatible materials, Exces

Instability:

Incompatible materials, Excess heat, Ignition sources.

Incompatibility - Materials To Strong acids, Contact of this product with many "active" metals such as aluminum,

Avoid: copper and zinc, can cause formation of flammable hydrogen gas.

Hazardous Decomposition or When a confined space entry must be made, even into an empty tank, be sure to follow

all appropriate confined entry procedures. High temperatures and fire conditions can

result in the formation of carbon monoxide and carbon dioxide, and oxides of: chlorine,

hydrogen chloride, potassium.

No data available.

Possibility of Hazardous

Reactions:

Byproducts:

Will occur [] Will not occur [X]

Conditions To Avoid - Hazardous Reactions:

Licensed to Shepard Bros., Inc.: MIRS MSDS, (c) A V Systems, Inc.



Page: 5 of 6 Printed: 06/10/2020 Revision: 06/10/2020

Supersedes Revision: 02/14/2015

11. TOXICOLOGICAL INFORMATION

Toxicological Information: Epidemiology: No information available.

Teratogenicity: No information available.
Reproductive Effects: No information available.

Mutagenicity: No information available.

Neurotoxicity: No information available. No information available.

Teratogenicity: No information available.
Reproductive Effects: No information available.

Mutagenicity: No information available. Neurotoxicity: No information available.

Other Studies: CAS# 7681-52-9:

Acute toxicity, LD50, Oral, Mouse, 5800 mg/kg

Other Studies: CAS# 1310-58-3:

Acute toxicity, LD50, Oral, Rat, 273 mg/kg

Irritation or Corrosion: Other Studies: CAS# 1310-58-3:

Standard Draize Test, Skin, Species: Rabbit, 50.0 mg, 24H

CAS# 1310-58-3: Not listed by ACGIH, IARC, NTP, or CA Prop 65.

Other Studies: CAS# 7681-52-9:

Standard Draize Test, Eyes, Species: Rabbit, 1.310 mg

Carcinogenicity/Other

Information: CAS# 7681-52-9: Not listed by ACGIH, IARC, NTP, or CA Prop 65.

Carcinogenicity: NTP? No IARC Monographs? No OSHA Regulated? No

12. ECOLOGICAL INFORMATION

General Ecological Environmental: No information available.

Information: Physical: No information available.

Results of PBT and vPvB

Other Studies: CAS# 1310-58-3:

assessment: LC50, Western Mosquitofish (Gambina affinis), adult(s), 80000 ug/L, 96H, Mortality

Other Studies: CAS# 7681-52-9:

LC50, Rainbow trout (Oncorhynchus mykiss), 59.00 ug/L, 96H

LC50, Water Flea (Daphnia magna), 32.00 ug/L, 48H LC50, Bleak (Alburnus alburnus), 30000 - 35000 ug/L, 96H

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method: Chemical waste generators must determine whether a discarded chemical is classified

as a hazardous waste. US EPA guidelines for the classification determination are listed

in 40 CFR Parts 261. Additionally, waste generators must consult state and local

hazardous waste regulations to ensure complete and accurate classification. Observe all

federal, state, and local environmental regulations.

14. TRANSPORT INFORMATION

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Corrosive Liquid, Basic, Inorganic, N.O.S. (Potassium Hydroxide, Sodium

Hypochlorite)

DOT Hazard Class: 8 CORROSIVE

UN/NA Number: UN3266 Packing Group: II



SAFETY DATA SHEET

Hydro Clean 750

Page: 6 of 6 Printed: 06/10/2020 Revision: 06/10/2020

Supersedes Revision: 02/14/2015

15. REGULATORY INFORMATION

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS# **Hazardous Components (Chemical Name)** S. 302 (EHS) S. 304 RQ S. 313 (TRI)

1310-58-3 Potassium hydroxide No Yes 1000 LB No 7681-52-9 Yes 100 LB Sodium hypochlorite No No

This material meets the EPA 'Hazard Categories' defined for SARA Title III Sections 311/312 as indicated:

[] Yes [X] No Explosive [] Yes [X] No Acute toxicity (any route of exposure)

[] Yes [X] No Flammable (gases, aerosols, liquid, or solid) [X] Yes [] No Skin Corrosion or Irritation

[] Yes [X] No Oxidizer (liquid, solid or gas) [] Yes [X] No Serious eye damage or eye irritation

[] Yes [X] No Self-reactive [] Yes [X] No Respiratory or Skin Sensitization

Pyrophoric (liquid or solid) Germ cell mutagenicity [] Yes [X] No [] Yes [X] No [] Yes [X] No Pyrophoric gas [] Yes [X] No Carcinogenicity

[] Yes [X] No Self-heating [] Yes [X] No Reproductive toxicity

Organic peroxide [] Yes [X] No [] Yes [X] No Specific target organ toxicity (single or repeated exposure)

[] Yes [X] No Corrosive to metal [] Yes [X] No Aspiration Hazard [] Yes [X] No Gas under pressure (compressed gas) [] Yes [X] No Simple Asphyxiant

In contact with water emits flammable gas (Health) Hazard Not Otherwise Classified (HNOC) [] Yes [X] No [X] Yes [] No

[] Yes [X] No Combustible Dust

(Physical) Hazard Not Otherwise Classified (HNOC) [] Yes [X] No

CAS# **Hazardous Components (Chemical Name)** Other US EPA or State Lists

1310-58-3 Potassium hydroxide TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8:

7681-52-9 Sodium hypochlorite TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8:

Title 8

16. OTHER INFORMATION

Revision Date: 06/10/2020

Preparer Name: Jose Arias (562)697-1366

Flammability Instability NFPA: Special Hazard

Additional Information About No data available.

This Product:

Company Policy or

Hazard Rating System:

Disclaimer:


Information presented herein is believed to be accurate and reliable to the best of our knowledge. However, we make no warranty or merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process. Users should make their own investigations to determine the suitability of the information for their particular purposes.

Licensed to Shepard Bros., Inc.: MIRS MSDS, (c) A V Systems, Inc.

HYDRO CLEAN 750 (Formerly Hydro Clean 700) CHLORINATED LIQUID C.I.P. CONTAINS: PO

DANGER

Causes severe skin burns and eye damage. Toxic to aquatic life.



Response Phrases:

IF ON SKIN (or hair): Immediately remove all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or a doctor.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

SPECIFIC TREATMENT: See Section 4 of the SDS to reference supplemental first aid instruction if immediate measures are required.

Storage/Disposal: Dispose of contents and containers in accordance with local, regional, national, and international regulations.

Supplemental Information: This product may be fatal if swallowed in large amounts. Take proper precautions, especially when using this product in an enclosed or semienclosed area. At elevated temperatures, this product may react with the reducing sugars in foods and beverages to product toxic carbon monoxide. When entering a tank, even an empty one, follow all appropriate confined entry procedures (ANSI Z117.1).

KEEP OUT OF REACH OF CHILDREN.




SHEPARD BROS., INC. 503 S. CYPRESS ST. La Habra, CA 90631 • (562) 697-1366



CONTAINS: POTASSIUM HYDROXIDE, SODIUM HYPOCHLORITE. DO NOT MIX WITH ACIDS - WILL CAUSE HAZARDOUS VAPORS.

Contact your Shepard Bros., Inc. representative for more specific use instructions and recommended dispensing equipment.



Read safety data sheets for more detailed information.

PROPER SHIPPING NAME:

UN3266,

CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (POTASSIUM HYDROXIDE, SODIUM **HYPOCHLORITE), 8, PGII**

PRODUCT ID:

BATCH NO.:

NET CONTENTS:



503 S. Cypress St., La Habra, CA 90631

phone: 562/697-1366 fax: 562/697-5786

January 1, 2020

Based on current U.S. Food and Drug Administration Guidelines, this Letter of Guarantee certifies that the Shepard Bros., Inc. product, **Hydro Clean 750**, is safe and suitable as a general cleaning agent on all surfaces or for use with steam or mechanical cleaning devices in all departments of establishments processing food for human or animal consumption.

When used according to the product label directions and in accordance with Good Manufacturing Practice this product will have no deleterious effects on the foods being processed.

This product must be used, handled and stored in a manner that will not adulterate food products. Before using this compound, food products and packaging materials must be removed from the room or carefully protected. After using this compound, surfaces must be thoroughly rinsed with potable water. This product must always be used according to applicable label directions.

Sincerely,

Jose Arias

Director of Compliance & Regulatory Affairs

Shepard Bros., Inc.



Shepard Bros., Inc. 503 S. Cypress St. La Habra, CA 90631 SHEPARD BROS. (562) 697-1366

HYDRO CLEAN 750 Chlorinated Test Kit SBRTK5000-Z

- 1. Fill test tube (0701) with syringe to 5 or 10 mL line with sample water.
- 2. Add 5 drops of Sodium Thiosulfate 0.0365N (ST2970), and mix.
- 3. Add 3 drops of Phenolphtalein indicator (PH1605), mix (solution will turn pink).
- 4. Add Sulfuric Acid 1.0 N (SA1625) drop-wise while swirling until the sample color turns clear. Count the number of drops. Hold bottle vertically.
- 5. Calculations:

If using 5 mL sample multiply:

number of drops x 449 = to obtain ppm active alkalinity as Potassium Hydroxide (by weight)

number of drops x 320 = to obtain ppm active alkalinity as Sodium Hydroxide (by weight)

number of drops x = 0.167 = to obtain % product in solution (by volume)

number of drops x 0.250 = to obtain fl-oz product/gallon

number of drops x 1670 to obtain ppm product in solution (by volume)

Example: 1.0 fl-oz/gal = 4 drops

2.0 fl-oz/gal = 8 drops3.0 fl-oz/ gal = 12 drops

1% product in solution by volume = 6 drops

If using 10 mL sample multiply:

number of drops x 224 = to obtain ppm active alkalinity as Potassium Hydroxide (by weight)

number of drops x 160 = to obtain ppm active alkalinity as Sodium Hydroxide (by weight)

number of drops x 0.112 = to obtain % product in solution (by volume)

number of drops x 0.143 = to obtain fl-oz product/gallon

number of drops x 1120 to obtain ppm product in solution (by volume)

Example: 1.0 fl-oz/gal = 7 drops

2.0 fl-oz/gal = 14 drops

1% product in solution by volume = 9 drops

NOTE: For accuracy and consistency hold the dropper bottle in a vertical position during the titration.

Rev 05/2020